

SurTec® 084

Spray Detergent Booster

Properties

- liquid surfactant for spray applications
- sprayable above 30°C
- highly concentrated
- demulsifying
- combinable with alkaline, neutral and acid builders
- defoaming properties in soak applications

Application

SurTec 084 Spray Detergent Booster is applied as a spray surfactant in combination with builders such as e.g. SurTec 131, SurTec 132, SurTec 138, etc. in single and multi-chamber installations.

make-up value: 0.3-1 %vol SurTec 084
+ builder

temperature: > 30°C

application time: depending on the instructions of the chosen builder

Technical Specification

(at 20°C)	Appearance	Density (g/ml)
SurTec 084	liquid, colourless	1.024 (1.01-1.04)

Maintenance and Analysis

Analyse and adjust the concentration of the builder regularly.

Replenish SurTec 084 proportional to the dosage of the builder.

Ingredients

- anionic surfactants
- nonionic surfactants

Stock Keeping

In order to prevent delays in the production process, per 1,000 l bath the following amount should be kept in stock:

SurTec 084 Spray Detergent Booster 25 kg

Product Safety and Ecology

The safety instructions and the instructions for environmental protection have to be followed in order to avoid hazards for people and environment. The Material Safety Data Sheets (according to European legislation) contain explicit details for this.

The following hazard designations and classifications into water hazard classes (WHC) have to be taken into account:

<u>product</u>	<u>hazard designation</u>	<u>water hazard class</u>
SurTec 084	-	WHC 2

Warranty

We are responsible for our products in the context of the valid legal regulations. The warranty exclusively accesses for the delivered state of a product. Warranties and claims for damages after the subsequent treatment of our products do not exist. For details please consider our [general terms and conditions](#).

Further Information and Contact

In our forum, you can discuss topics of the surface technology:

<http://forum.SurTec.com/>

If you have any questions concerning the process, please contact your local technical department: <http://SurTec.com/International.html>

17 November 2010/DK, OP