

# SurTec® 086

## Recyclable Spray Surfactant

### Properties

- liquid, sprayable above 40°C
- extremely effective combination of surfactants
- recyclable in combination with builder as SurTec 131, SurTec 132, SurTec 136, SurTec 138 and SurTec 140
- demulsifying
- can be combined with alkaline, neutral or acid builder
- with defoaming properties in soak applications
- suited for vibratory finishing

### Application

make-up value: 0.3-1 % SurTec 086  
+ builder

temperature: > 40°C

application time: depending on the instructions of the chosen builder

### Technical Specification

(at 20°C)	Appearance	Density (g/ml)	pH-value (at 20 g/l)
SurTec 086	liquid, colourless-yellowish	1.003 (0.99-1.01)	5.7 (5.4-8.6)

### Maintenance and Analysis

Analyse and adjust the concentration of the builder regularly.

Dose SurTec 086 proportional to the dosage of the builder (e.g. dosing of 3 % builder requires 0.3 % tenside booster SurTec 086 Spray Surfactant).

### Ingredients

- nonionic surfactants

### Product Safety and Ecology

The safety instructions and the instructions for environmental protection have to be followed in order to avoid hazards for people and environment. The Material Safety Data Sheets (according to European legislation) contain explicit details for this.

The following hazard designations and classifications into water hazard classes (WHC) have to be taken into account:

<u>product</u>	<u>hazard designation</u>	<u>water hazard class</u>
SurTec 086	-	WHC 2

## Warranty

We are responsible for our products in the context of the valid legal regulations. The warranty exclusively accesses for the delivered state of a product. Warranties and claims for damages after the subsequent treatment of our products do not exist. For details please consider our [general terms and conditions](#).

## Further Information and Contact

In our forum, you can discuss topics of the surface technology:

<http://forum.SurTec.com/>

If you have any questions concerning the process, please contact your local technical department: <http://SurTec.com/International.html>

30 November 2011/DK, UK