

SurTec® 942

Acid Membrane Cleaner

Properties

- liquid
- free of inorganic acids
- suited for micro- and ultrafiltration membranes
- suitable for all types of membranes
- free of EDTA and NTA

Application

SurTec 942 is used for rinsing and pore clearing of micro- and ultrafiltration membranes after alkaline cleaning.

make-up value: 1 %vol (0.5-2 %vol)
temperature: 90°C (85-95°C)
application time: according to requirements

Technical Specification

(at 20°C)	Appearance	Density (g/ml)	pH-value (at 10 g/l)
SurTec 942	liquid, brownish	1.130 (1.11-1.15)	2.5 (2.0-3.0)

Maintenance and Analysis

Analyse and adjust the concentration of SurTec 942 regularly.

Sample Preparation

Take a sample at a homogeneously mixed position. Let it cool down to room temperature. If the sample is turbid, let the turbidity settle down and decant or filter the solution.

SurTec 942 – Analysis by Titration

reagents: 0.1 N sodium hydroxide solution
indicator: methyl orange solution (0.04 %)

procedure:

1. Pipette 50 ml bath sample into a 250 ml Erlenmeyer flask.
2. Dilute to approx. 100 ml with deionised water.
3. Add 3 drops of indicator.
4. Titrate with 0.1 N sodium hydroxide solution from red to yellow.

calculation: consumption in ml · 0.136 = %vol SurTec 942

Ingredients

- organic acids
- nonionic surfactants
- anionic surfactants

Stock Keeping

In order to prevent delays in the production process, per 1,000 l bath the following amount should be kept in stock:

SurTec 942 25 kg

Product Safety and Ecology

The safety instructions and the instructions for environmental protection have to be followed in order to avoid hazards for people and environment. The Material Safety Data Sheets (according to European legislation) contain explicit details for this.

The following hazard designations and classifications into water hazard classes (WHC) have to be taken into account:

<u>product</u>	<u>hazard designation</u>	<u>water hazard class</u>
SurTec 942	Xi - Irritant	WHC 1

Warranty

We are responsible for our products in the context of the valid legal regulations. The warranty exclusively accesses for the delivered state of a product. Warranties and claims for damages after the subsequent treatment of our products do not exist. For details please consider our [general terms and conditions](#).

Further Information and Contact

In our forum, you can discuss topics of the surface technology:

<http://forum.SurTec.com/>

If you have any questions concerning the process, please contact your local technical department: <http://SurTec.com/International.html>

4 July 2011/DK, UK